

## MATERIAL SAFETY DATA SHEET

NON- Hazardous Substance, NON-Dangerous Goods

### 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

#### PROMURA BOND MATE 500

Sizes: 2.5 litre, 5 litre, 20 litre

Recommended Use: General purpose woodworking adhesive.

UES PROMURA  
10 – 12 McWilliam Street  
Springvale Vic 3171  
Tele: 03 9547 5833 Fax: 03 9548 1537

### 2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of NOHSC Australia.

Not Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road or Rail.

**Poisons Schedule (Aust.):** Not applicable

### 3. COMPOSITION INFORMATION

| CHEMICAL ENTITY                            | CAS NO. | PROPORTION |
|--|---------|------------|
| Ingredients determined to be non-hazardous | -       | 100%       |

### 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Remove victim from exposure – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye Contact:** If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Ingestion:** Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

**Notes to physician:** Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

**Specific hazards:** Non-combustible material.

**Fire fighting further advice:** Not combustible, however following evaporation of aqueous component residual material can burn if ignited. On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

**Hazchem Code:** Not applicable

**Suitable extinguishing media:** Not combustible, however, if material is involved in a fire use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

## **6. ACCIDENTAL RELEASE MEASURES**

### **SMALL SPILLS**

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

### **LARGE SPILLS**

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain-prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

**Dangerous Goods – Initial Emergency Response Guide No:** Not applicable

## **7. HANDLING AND STORAGE**

**Handling:** Avoid eye contact and repeated or prolonged skin contact.

**Storage:** Store in a cool, dry, well – ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use – check regularly for leaks.

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **National occupational exposure limits:**

No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC Australia).

**Biological Limit Values:** As per the “National Model Regulations for the Control of Workplace Hazardous Substances (NOHSC: 1005 (1994))” the ingredients in this material do not have a Biological Limit Allocated.

**Engineering measures:** Natural ventilation should be adequate under normal use conditions.

**Personal protection equipment:** OVERALLS, SAFETY SHOES

When handling individual retail packs no personal protection equipment is required. Wear standard safety equipment – overalls and safety shoes.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**Form / Colour / Odour:** White creamy liquid with faint acetic colour.

|   |                      |
|---|----------------------|
| <b>Solubility:</b>                      | Dispersible in water |
| <b>Specific Gravity (20 °C):</b>        | 10.05                |
| <b>Relative Vapour Density (air=1):</b> | N Av                 |
| <b>Vapour Pressure (20 °C):</b>         | N Av                 |
| <b>Flash Point (°C):</b>                | N App                |
| <b>Flammability Limits (%):</b>         | N App                |
| <b>Autoignition Temperature (°C):</b>   | N App                |
| <b>Melting Point/Range (°C):</b>        | N Av                 |

**Boiling Point/Range (°C):** N Av  
**pH:** 4.5-5.5

(typical values only – consult specification sheet)  
N Av = Not available      N App = Not applicable

## **10. STABILITY AND REACTIVITY**

**Chemical stability:** This material is thermally stable when stored and used as directed.

**Conditions to avoid:** Elevated temperatures.

**Incompatible Materials:** Oxidising agents.

**Hazardous decomposition products:** Oxides of carbon and nitrogen, smoke and other toxic fumes.

**Hazardous reactions:** No information available.

## **11. TOXICOLOGICAL INFORMATION**

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### **Acute Effects**

**Inhalation:** Material may be irritant to mucous membranes and respiratory tract.

**Skin Contact:** Contact with skin may result in irritation.

**Eye Contact:** May be an eye irritant.

**Ingestion:** Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

**Long Term Effects:** No information available for product.

**Acute toxicity / Chronic toxicity:** No LD50 data available for the product.

## **12. ECOLOGICAL INFORMATION**

Avoid contaminating waterways.

**Ecotoxicity:** No information available.

**Persistence and degradability:** No information available.

**Mobility:** No information available.

## **13. DISPOSAL CONSIDERATIONS**

Refer to State/Territory Land Waste Management Authority.

## **14. TRANSPORT INFORMATION**

**ROAD AND RAIL TRANSPORT:** Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

**MARINE TRANSPORT:** Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (IMDG Code) for transport by sea.

**AIR TRANSPORT:** Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (IATA) for transport by air.

## **15. REGULATORY INFORMATION**

**Poisons Schedule (Aust):** Not applicable

All constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

## **16. OTHER INFORMATION**

**Literary reference: Chemical Data Services Pty Ltd has prepared This Material Safety Data Sheet** on behalf of its client.

Reasons(s) For Issue: First Issue

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since UES Promura cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review the MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.